


## **EXHIBIT E**

DO NOT SCALE		DO NOT MODIFY MANUALLY		DRAWING NUMBER	
Pl. No	+++ / +++	UNLESS OTHERWISE STATED ALL DIMENSIONS ARE IN MILLIMETRES		THIRD ANGLE PROJECTION	
042/E3001					



**BEST AVAILABLE COPY**

**BEST AVAILABLE COPY**

MACHINED SURFACES & MICROGRASTRE FINISHES SHOWN THIS $\checkmark$ WELDING SYMBOLS TO BS 499 OTHER SYMBOLS TO BS 308		MATERIAL :		TITLE	
TOLERANCES TO BE AS SPECIFIED BELOW UNLESS OTHERWISE STATED		FABRICATIONS		BOOM SUSPENSION	
MACHINING		DETAILS		DRAWING NUMBER	
LINEAR DIMENSIONS AND HOLE CENTRES $\pm 0.5mm$ DRILLED HOLES UP TO 50mm DIA $\pm 0.10mm$ DRILLED HOLES OVER 50mm DIA $\pm 0.15mm$ 6.3 MICROGRASTRE FINISH ON MACHINED SURFACES 0.1mm TOTAL INDICATOR READING OF MACHINED SURFACES TOTAL TOL. ZONE FOR A FINISH OF 125 MICRONS 1 IN 2000 STRAIGHTNESS ON SURFACES AND PINS		ASSEMBLIES		042/E30018	
THIS DRAWING IS THE PROPERTY OF J.C. CAMFORD EXCAVATORS LTD & MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT		DRAIN DATE		J.C. CAMFORD EXCAVATORS LTD	
P.D.N.		SUPER SERIES		A3 NT	
SUPERSEDED BY		D.I.P.		SCN	
DATE		ISSUE		A3 NT	

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**